

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

AEOLUS

HN06

9.00R20*	A	14	18
10.00R20*	A	16	19
11R22.5	A	14	19
11R22.5	A	16	19
295/75R22.5	A	14	19
285/75R24.5	A	14	19

Local delivery applications; solid shoulders support even wear and resist curbing abuse.

*Tube tire.

HN08 ON/OFF ROAD MIXED SERVICE

9.00R20*	A	16	20
10.00R20*	A	16	21
11.00R20*	A	16	21
12.00R20*	A	18	22
12.00R24	A	18	22
11R22.5	A	16	21
11R24.5	A	16	21
12R22.5	A	16	21
12R24.5	A	16	21
315/80R22.5	A	20	21

Excellent tread wear; cut and chip resistant; four rib design, deep tread depths and aggressive shoulder for traction.

*Tube tire.

HN207 RIB

385/65R22.5	A	18	20
425/65R22.5	A	20	21
445/65R22.5	A	20	21

Solid traction in mixed operations.

HN208+ PREMIUM STEER

11R22.5	S	14	19
11R22.5	S	16	19

WHEEL POSITION

A = all positions, including trailer

D = drive

S = steer

T = trailer

PLY/LOAD RATING

Where a number is listed, it indicates ply rating; higher numbers mean higher durability. Where a letter is listed, it designates the load a tire can carry; successive letters indicate greater capacity. Load rating helps determine whether a tire can be used safely in a given application. If you know the size of a tire and its load range letter, you can look up its load capacity on a chart from the manufacturer. Always replace a tire with one of at least the same load range.

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

11R24.5	S	14	19
11R24.5	S	16	19
295/75R22.4	S	14	19
285/75R24.5	S	14	19

Line-haul steer and regional steer applications; features a decoupling groove for steer positions.

HN235 REGIONAL

215/75R17.5	A	18	16
235/75R17.5	A	18	16

For demanding regional pick-up and delivery vehicles; regional rib sized for low platform trailer positions.

HN256 PREMIUM RIB

11R22.5	A	14	19
11R22.5	A	16	19
11R24.5	A	14	19
11R24.5	A	16	19
12R22.5	A	16	21
255/70R22.5	A	16	16
275/70R22.5	A	18	19
315/80R22.5	A	18	21
315/80R22.5	A	20	21

Radial optimized for steer axles; regional applications and limited highway service.

HN355 PREMIUM REGIONAL DRIVE

11R22.5	D	16	28
11R24.5	D	16	28
255/70R22.5	D	16	25
275/70R22.5	D	18	25
315/80R22.5	D	18	29
315/80R22.5	D	20	29

All-weather drive; wide footprint and square shoulders provide stability and control.

HN306 PREMIUM OPEN SHOULDER DRIVE

11R22.5	D	14	26
11R22.5	D	16	26
11R24.5	D	14	26
11R24.5	D	16	26
12R22.5	D	16	26
285/75R24.5	D	14	26
295/75R22.5	D	14	26

Good traction and wear; wide tread; for line-haul and regional applications; strong casing design for enhanced durability.

HN308+ PREMIUM CLOSED SHOULDER DRIVE

11R22.5	D	14	26
11R22.5	D	16	26
11R24.5	D	14	26
11R24.5	D	16	26
295/75R22.5	D	14	26
285/75R24.5	D	14	26

Line haul tire features solid shoulder; superior stability; resistant to irregular wear.

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

HN325 MIXED SERVICE DRIVE

12R22.5	D	16	26
12R24.5	D	18	26
11.00R20*	D	16	26

Deep wide tread block provides superior wear resistance; tread pattern reduces road noise.

*Tube tire.

HN357 REGIONAL DRIVE

11R22.5	D	16	26
11R24.5	D	16	26

Ideal mixed-service tire; staggered tread block design distributes forces evenly to resist irregular wear; superior traction in rain, mud and snow.

HN228 ON/OFF ROAD MIXED SERVICE

255/70R22.5	A	16	25
275/70R22.5	A	18	25
385/65R22.5	A	18	21
425/65R22.5	A	20	21
445/65R22.5	A	20	21

Flotation for construction vehicles; super single applications; available in low-profile.

HN356 ON/OFF ROAD DRIVE

11R22.5	D	16	28
11R24.5	D	16	28
12R22.5	D	16	25
13R22.5	D	18	26
315/80R22.5	D	18	25
315/80R22.5	D	20	25

Aggressive radial designed for severe conditions; rugged directional tread provides self-cleaning capabilities; deep lateral shoulder grooves aid water dispersion.

HN808 PREMIUM LINE HAUL TRAILER

11R22.5	T	14	13
11R24.5	T	14	13
285/75R24.5	T	14	14
295/75R22.5	T	14	14

Shallow non-skid tread resists irregular wear in free-rolling wheel positions and minimizes skid wear; large center groove provides consistent footprint.

HN596 ON/OFF ROAD DRIVE

11R22.5	D	16	26
11R24.5	D	16	26

Extra deep block pattern provides superior handling; for use on logging and construction sites.

HN826+ PREMIUM RIB

215/75R17.5	T	18	15
235/75R17.5	T	18	16

Application-specific shoulder design for enhanced handling and resistance to irregular wear in high-scrub areas.

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

HN828+ PREMIUM REGIONAL RIB

225/70R19.5	A	14	16
245/70R19.5	A	16	17

Wide tread design and solid shoulders enhance driving stability and handling.

HN230+ RIB

8.25R15*	A	18	16
10.00R15*	A	18	17
255/70R22.5	A	16	18
275/70R22.5	A	18	19

Five-rib pattern for even load distribution; wide grooves provide wet traction. *Tube tire.

HN366+ PREMIUM OPEN SHOULDER DRIVE

225/70R19.5	D	14	16
245/70R19.5	D	16	17

Tread provides good balance between traction and tread life across several applications.

BF GOODRICH

DR424

10R22.5	D	G	21
11R22.5	D	G	24
275/80R22.5	D	G	24

Regional radial optimized for long mileage and excellent traction.

DR444

275/80R22.5	D	G	28
11R22.5	D	G	28
11R22.5	D	H	28
11R24.5	D	G	28
11R24.5	D	H	28
275/80R24.5	D	G	28

Highway radial optimized for long mileage and even wear.

DR675

11R22.5	D	H	30
11R24.5	D	H	30

ST230

255/70R22.5	A	H	17
245/70R19.5	A	G	16
12R22.5	A	H	19
11R24.5	A	H	18
315/80R22.5	A	L	17
275/80R22.5	A	G	18
11R22.5	A	H	18
275/80R24.5	A	G	18
225/70R19.5	A	G	15
10R22.5	A	G	17

Highway radial optimized for high-scrub use.

ST244

11R22.5	A	G	18
11R22.5	A	H	18
11R24.5	A	G	18
11R24.5	A	H	18
275/80R22.5	A	G	18
275/80R24.5	A	G	18

Highway radial optimized for steer axle.

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

ST576

11R22.5	A	H	21
11R24.5	A	H	21

Radial withstands the rigor of on/off-road applications.

TR144

11R22.5	T	G	12
275/80R24.5	T	G	12
275/80R22.5	T	G	12
11R24.5	T	G	12

Highway radial optimized for free-rolling axles.

BRIDGESTONE

R287

11R22.5	S/A	G	16
11R24.5	S/A	G	16
295/75R22.5	S/A	G	16
285/75R24.5	S/A	G	16

Stress-relief sipes, Equalizer Rib and Side Groove features fight irregular wear.

R280

11R22.5	S/A	G/H	18
11R24.5	S/A	G/H	18
295/75R22.5	S/A	G/H	18
285/75R24.5	S/A	G	18

Equalizer Rib and Defense Groove features combat irregular wear; platforms resist stone retention; wide tread for retreading.

R227F

285/70R19.5	S/A	H	18
305/70R19.5	S/A	J	18

Sidewall protector ribs fight curbing damage; Equalizer Rib and Defense Groove features resist irregular wear.

R260F

11R22.5	S/A	G/H	22
11R24.5	S/A	G/H	22
295/75R22.5	S/A	G	22
285/75R24.5	S/A	G	22

Deep tread for longer tire life in high-scrub use; platforms combat stone retention.

R250F

9R22.5	S/A	F	17
10R22.5	S/A	F/G	18
11R22.5	S/A	G	19
12R22.5	S/A	H	20
11R24.5	S/A	G	19
215/75R17.5	S/A	G	16
225/70R19.5	S/A	F	15
245/70R19.5	S/A	F/G	19
265/70R19.5	S/A	G	16
245/75R22.5	S/A	G	18
265/75R22.5	S/A	G	18
295/75R22.5	S/A	G	19
295/80R22.5	S/A	H	19

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

285/75R24.5	S/A	G	19
-------------	-----	---	----

Ideal for regional, P&D, refuse service; solid shoulder ribs resist scrub; sidewall protector ribs fight damage from curbing.

R250 ED

11R22.5	S/A	H	19
11R24.5	S/A	H	19
255/70R22.5	S/A	H	18
275/70R22.5	S/A	J	19

Extra-duty cut-, chip- and chunk-resistant tread compound for durable service; sidewall protector ribs fight damage from curbing.

R187F

8R19.5	S/A	F	16
--------	-----	---	----

Tough tread compounds resist P&D high-scrub use; shoulder siping bites through water.

R294 LOW PROFILE

315/80R22.5	S/A	J	19
-------------	-----	---	----

Rib sipes offer wet traction; casing built for durability and retreadability.

R180

9R17.5	S/A	G	14
--------	-----	---	----

Rib sipes cut through water and road films for excellent control on wet surfaces; outstanding durability and retreadability.

M726 EL DRIVE

9R22.5	D	F	24
10R22.5	D	G	26
11R22.5	D	G	32
11R24.5	D	G/H	32
265/75R22.5	D	G	26
295/75R22.5	D	G	32
285/75R24.5	D	G	32

Mega-deep tread for long original mileage and low-cost per mile; advanced compound produces stiff blocks for slow, even wear; groove platforms combat stone retention.

M726 DRIVE

255/70R22.5	D	H	26
-------------	---	---	----

Extra-deep tread for long mileage; solid shoulder design fights irregular wear; groove platforms combat stone retention.

M725 DRIVE

11R22.5	D	G/H	30
11R24.5	D	G	30
295/75R22.5	D	G	30
285/75R24.5	D	G	30

Extra-deep tread for long mileage; Dome Block design combats heel/toe wear; open shoulder for soft surface traction.

SIZE POSITION(S)
PLY/LOAD TREAD/32-IN.

M711 DRIVE

11R22.5	D	G/H	26
12R22.5	D	H	28
11R24.5	D	G	26

Deep tread for long original mileage; open shoulder for soft surface traction; staggered tread blocks resist irregular wear.

M729F DRIVE

215/75R17.5	D	F	22
255/70R19.5	D	F	20
245/70R19.5	D	G	19
265/70R19.5	D	G	19
285/70R19.5	D	H	20

Deep tread for long tire life; sidewall protector ribs resist curbing damage.

GREATEC WIDE BASE DRIVE

445/50R22.5	D	L	26
-------------	---	---	----

Diameter same as 22.5 LP; M726 EL tread pattern; Waved Belt casing design for durability; exclusive Turn-In Ply design fortifies bead.

M720 FUEL-SAVING DRIVE

11R22.5	D	G	26
11R24.5	D	G	26
295/75R22.5	D	G	26
285/75R24.5	D	G	26

Innovative compounds and fuel-efficient casing for superb fuel economy throughout tire and casing life; deep tread for long mileage.

R195F TRAILER

11R22.5	T	G	11
11R24.5	T	G	11
255/70R22.5	T	H	12
295/75R22.5	T	G	11
285/75R24.5	T	G	11

Equalizer Rib and Defense Groove structures fight irregular wear for long mileage; sidewall ribs resist curbing damage.

R196 HIGH-SCRUB TRAILER

11R22.5	T	G	16
11R24.5	T	G	16
295/75R22.5	T	G	16
285/75R24.5	T	G	16

Ideal for spread axle, tri-axle and other trailers; long-wearing in very abrasive applications.

R184 LOW PROFILE TRAILER

215/75R17.5	T	H	15
245/70R17.5	T	J	16

Continuous shoulders fight rib damage from maneuvering scrub; multiple cross-rib sipes for a firm grip on wet roads.

R187 TRAILER

8.25R15	T	J	14
10.00R15	T	J	16

SIZE POSITION(S)
PLY/LOAD TREAD/32-IN.

Tough tread compounds resist P&D high-scrub use; shoulder siping bites through water for excellent traction.

GREATEC WIDE BASE TRAILER

445/50R22.5	T	L	14
-------------	---	---	----

Diameter same as 22.5 LP; R195F-like tread pattern; Waved Belt casing design for durability; Equalizer Rib and Defense Groove features for smooth wear; Turn-In Ply design fortifies bead.

M860 ON/OFF HIGHWAY HEAVY-AXLE

315/80R22.5	S/A	L	24
-------------	-----	---	----

Designed for refuse hauling and severe-service applications; tread resists cuts, chips and chunks; maximum sustained speed is 65 mph.

M850 ON/OFF HIGHWAY

11R22.5	S/A	H	24
11R24.5	S/A	H	24

Wide block/rib tread for superior flotation and even wear; groove platforms combat stone retention; extra-deep tread for long original mileage.

M843 EXTRA-DEEP ON/OFF HIGHWAY

11R22.5	S/A	G/H	26
12R22.5	S/A	H	26
11R24.5	S/A	G/H	26
12R24.5	S/A	H	27
315/80R22.5*	S/A	L	26

Aggressive traction and long original mileage; resists cuts and chips; self-cleaning tread improves durability.

*Maximum speed is 55 mph.

M840 DEEP TREAD ON/OFF HIGHWAY

275/70R22.5	S/A	J	22
-------------	-----	---	----

Deep tread for control and long tread life; special compound resists cuts and chips; combination rib/lug pattern for improved grip; usable to 65 mph.

M857 STANDARD TREAD ON/OFF HIGHWAY

11.00R24	S/A	H	20
----------	-----	---	----

Super-tough compounds resist cuts and chips; rib/lug pattern for high traction; thick undertread for penetration resistance and retreadability; usable to 65 mph.

M775 ULTRA-DEEP TREAD DRIVE ON/OFF HIGHWAY

11R22.5	D	H	33
12R22.5	D	H	34
11R24.5	D	H	33

Ultra-deep tread for long tire life; super-tough compounds resist cuts, chips and tears.

SIZE POSITION(S)
PLY/LOAD TREAD/32-IN.

L320 ULTRA-DEEP DRIVE ON/OFF HIGHWAY

11R22.5	S/A	G/H	31
11R24.5	S/A	G/H	31
12R22.5	S/A	H	31

Ultra-deep for long original mileage; aggressive lug tread for powerful grip on/off the highway; usable to 65 mph.

L317 OFF-HIGHWAY DRIVE

12.00R24NHS	D	J	39
-------------	---	---	----

Extra-deep tread for long mileage; aggressive lug design for superior grip; tough compounds resist cuts, chips, chunks and tears; maximum sustained speed is 50 mph.

L355 DEEP TREAD DRIVE ON/OFF HIGHWAY

12.00R24	D	J	26
----------	---	---	----

Deep tread for long mileage; tread compound resists cuts and chips; aggressive shoulder design provides outstanding traction; usable to 65 mph.

L315 WIDE BASE DRIVE

445/65R22.5	D	L	20
-------------	---	---	----

Designed for axles carrying extra-heavy loads; aggressive lug design for outstanding traction; wide base for higher payload and flotation.

CONTINENTAL

HSL ECO PLUS

315/80R22.5	S	J	18
-------------	---	---	----

Long haul; long original mileage; stone ejection system; improved fuel economy; visual alignment indicators.

HSL

275/80R22.5	S	G/H	18
285/75R24.5	S	G/H	18
11R22.5	S	G/H	18
11R24.5	S	G/H	18

Long haul; long original mileage; stone ejection system; visual alignment indicators.

HSR

225/70R19.5	S/A	G	16
275/80R22.5	S/A	H	23
285/75R24.5	S/A	H	23
11R22.5	S/A	H	23
11R24.5	S/A	H	23
12R22.5	S/A	H	18

Regional; deep tread depth for long tread life; cut/chip/scrub-resistant tread compound.

HSR-1

245/70R19.5	S/A	H	16
285/70R19.5	S/A	H	17
305/70R19.5	S/A	J	18

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

255/70R22.5	S/A	H	18
275/70R22.5	S/A	H	18
295/80R22.5	S/A	H	18

Regional; deep tread depth for long tread life; cut/chip/scrub-resistant tread compound.

LSR

8R17.5	S/A	F	15
8.5R17.5	S/A	F	15

Regional; designed for even wear and high mileage; multi-service tread compound.

HSC

11R22.5	S	H	23
11R24.5	S	H	23
12R22.5	S	H	23
12R24.5	S	H	23
12.00R20	S	J	23
12.00R24	S	L	20

New sidewall profile reduces curb and abrasion damage; visual alignment indicators; cut- and chip-resistant tread compound for long tread life in on/off-road conditions; stone ejection system.

HSU

315/80R22.5	S/A	L	24
-------------	-----	---	----

Urban; 10,000 pound load capacity; sustained speeds up to 65 mph; aggressive rib design provides excellent traction and long tread life.

HDL

275/80R22.5	D	G/H	28
285/75R24.5	D	G/H	28
11R22.5	D	G/H	28
11R24.5	D	G/H	28

Long haul and regional; open shoulder tread for excellent traction; stone ejection system.

HDL ECO PLUS

275/80R22.5	D	G/H	28
285/75R24.5	D	G/H	28
11R22.5	D	G/H	28
11R24.5	D	G/H	28

Long haul; optimizes fuel economy; closed shoulder; stone ejection.

HDR

225/70R19.5	D	G	18
245/70R19.5	D	H	20
285/70R19.5	D	H	21
255/70R22.5	D	H	26
275/70R22.5	D	H	22
315/80R22.5	D	J	26
12R22.5	D	H	26

Regional; multi-service compound for local and long-haul on/off highway service.

HDC

11R22.5	D	H	30
---------	---	---	----

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

11R24.5	D	H	30
---------	---	---	----

Cut resistant tread provides increased mileage and long wear with no speed restrictions; excellent traction in all weather conditions.

HDO

11R22.5	D	H	32
11R24.5	D	H	32

Cut/chip-resistant tread provides excellent off-road traction; stone ejection system.

HTL

275/80R22.5	T	G	13
285/75R24.5	T	G	13
11R22.5	T	G	13
11R24.5	T	G	13

Long haul and regional; rib protects against wear; scruff ribs protect sidewall.

HTR

215/75R17.5	T	H	15
235/75R17.5	T	H	16
385/65R22.5	T	L	19
425/65R22.5	T	L	18
445/65R22.5	T	L	18
8.25R15	T	J	17
365/80R20	T	L	18

Long haul and regional; high ply ratings for trailers.

HTR-1

265/70R19.5	T	J	16
285/70R19.5	T	J	17

Long haul and regional; long original miles; tread pattern for reduced noise.

HTC

425/65R22.5	A	L	21
445/65R22.5	A	L	21

Aggressive tread pattern for extra traction in on/off road applications; cut- and tear-resistant; thick undertread for retreading.

HTC-1

385/65R22.5	A	L	23
-------------	---	---	----

Aggressive tread pattern for extra traction in on/off road applications; cut- and tear-resistant; thick undertread for retreading.

DUNLOP

SP111 RADIAL

10R17.5	A	H	13
---------	---	---	----

SP160 ALL-POSITION RIB

10.00R20	A	H	17
10R22.5	A	G	16
11R22.5	A	H	17
11R24.5	A	H	17
255/70R22.5	T	H	17

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

285/75R24.5	A	G	17
295/75R22.5	A	G	17
9R22.5	A	G	16

SP181 LINE HAUL TRAILER

11R22.5	T	G	12
11R24.5	T	G	12
285/75R24.5	T	G	12

SP181A LINE HAUL TRAILER

295/75R22.5	T	G	12
-------------	---	---	----

SP231 SUPER SINGLE

385/65R22.5	A	J	20
-------------	---	---	----

SP245 RIB

11R17.5	A	H	13
10R15	A	G	13

SP281 SUPER SINGLE

425/65R22.5	A	L	24
-------------	---	---	----

SP342 RIB

225/70R19.5	A	D/F	16
-------------	---	-----	----

SP343 REGIONAL SERVICE

11R22.5	S/A	H	20
11R24.5	S/A	H	20
285/75R24.5	S/A	G	20
295/75R22.5	S/A	G	20

SP345 RADIAL

315/80R22.5	A	L	18
-------------	---	---	----

SP351 RIB

245/70R19.5	A	H	16
-------------	---	---	----

SP384 LINE HAUL STEER

11R22.5	S/A	G	18
11R24.5	S/A	G	18
285/75R22.5	S/A	G	18
295/75R24.5	S/A	G	18

SP431A OPEN SHOULDER DRIVE

11R22.5	D	H	26
11R24.5	D	H	26
285/75R24.5	D	G	26
295/75R22.5	D	G	26

SP441 HIGH TRACTION DRIVE

225/70R19.5	D	F	20
-------------	---	---	----

SP453 LINE HAUL DRIVE

11R22.5	D	H	30
11R24.5	D	H	30
285/75R22.5	D	G	30
295/75R24.5	D	G	30

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

SP483 MIXED SERVICE DRIVE

11R22.5	D	H	32
11R24.5	D	H	32

SP581 ON/OFF ROAD

11R22.5	A	H	26
11R24.5	A	H	26
315/80R22.5	A	L	24

SP831 ON/OFF ROAD

255/70R27.5	A	H	19
-------------	---	---	----

SP832 ON/OFF ROAD

11R22.5	A	H	20
11R24.5	A	H	20
315/80R22.5	A	L	21

SP881 SEVERE SERVICE DRIVE

11R24.5	D	H	32
---------	---	---	----

SP932 DRIVE TIRE ON/OFF ROAD

11R22.5	D	H	31
11R24.5	D	H	31

FIRESTONE

FS590 PLUS PREMIUM

11R22.5	S/A	G	18
11R24.5	S/A	G	18
295/75R22.5	S/A	G	18
285/75R24.5	S/A	G	18

ULTI-Rib design fights irregular wear; shoulder wear protector ribs combat cupping and step-down wear.

FS507

11R22.5	S/A	G/H	19
11R24.5	S/A	G/H	19
295/75R22.5	S/A	G/H	19
285/75R24.5	S/A	G	19

Long-distance and regional; shoulder wear protector ribs fight cupping and step-down wear.

FS560 PLUS PREMIUM

9R22.5	S/A	F	17
10R22.5	S/A	F/G	18
11R22.5	S/A	G/H	19
12R22.5	S/A	H	19
11R24.5	S/A	G/H	19
225/70R19.5*	S/A	F	16
245/70R19.5*	S/A	F/G	17
255/70R22.5	S/A	H	18
275/70R22.5	S/A	H	18
295/75R22.5	S/A	G	19
285/75R24.5	S/A	G	19

Ultra-deep tread for long original miles in high-scrub and urban use.

*Modified tread.

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

XR4 TRAILER

10R17.5	T/A	G	16
---------	-----	---	----

On-highway and urban service; zigzag grooves and shoulder sipes for superior wet traction.

FD690 PLUS PREMIUM DRIVE

11R22.5	D	G	29
11R24.5	D	G	29
225/70R19.5	D	F	29
245/70R19.5	D	G	29
295/75R22.5	D	G	29
285/75R24.5	D	G	29

Extra-deep tread for long original mileage; low cost per mile.

FD663 DRIVE

10R22.5	D	F	25
11R22.5	D	G/H	26
12R22.5	D	H	26
11R24.5	D	G/H	26
295/75R22.5	D	G	26
285/75R24.5	D	G	26

Proven lug design for solid traction and long tread life in line haul service.

T546 DRIVE

9.00R20	D	G	25
10.00R20	D	H	26

Transverse interlocking center lugs for excellent wet traction; deep tread for long wear.

FT455 TRAILER

11R22.5	T	G	12
11R24.5	T	G	12
255/70R22.5	T	H	12
295/75R22.5	T	G	12
285/75R24.5	T	G	12

Classic five-rib design and shallow tread depth for long, even wear.

T819 ON/OFF HIGHWAY

10.00R20	S/A	H	20
11.00R20	S/A	H	20
11.00R22	S/A	H	20
11R22.5	S/A	H	20
12R22.5	S/A	H	20
11R24.5	S/A	H	20
12R24.5	S/A	H	20
315/80R22.5*	S/A	L	20

Tread pattern for aggressive traction.

*Maximum sustained speed is 55 mph.

T831 DRIVE ON/OFF-HIGHWAY

10.00R20	D	H	31
11.00R20	D	H	31
11R22.5	D	H	31
12R22.5	D	H	31
11R24.5	D	H	31

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

Extra-deep tread for long original tread life and excellent soft surface traction.

GENERAL

D445

9.00R20	D	G	22
10.00R20	D	H	23
11.00R20	D	H	24
10R22.5	D	G	23

Regional; aggressive pattern offers all-weather traction; compound provides long life.

D450

11R22.5	D	H	26
11R24.5	D	H	26

Long haul and regional; improved treadability compound proves reduced rolling resistance; tread pattern reduces stone retention.

D460

295/75R22.5	D	G	26
285/75R24.5	D	G	26
11R22.5	D	G/H	26
11R24.5	D	G/H	26

Long haul; innovative tread pattern minimizes stone retention; advanced tread compound for long mileage and reduced rolling resistance.

D660

295/75R22.5	D	G	30
285/75R24.5	D	G	30
11R22.5	D	G/H	30
11R24.5	D	G/H	30

Long haul; stone ejection system; tread pattern minimizes stone retention; closed shoulder.

S360

9R22.5	S/A	G	18
10R22.5	S/A	G	18
9.00R20	S/A	G	18
10.00R20	S/A	H	18
11R22.5	S/A	H	18
11R24.5	S/A	H	18

Scrub-resistant tread; stone ejection system; local delivery and short haul.

S371

11R22.5	S/A	H	18
11R24.5	S/A	H	18
295/75R22.5	S/A	H	18
285/75R24.5	S/A	H	18

S580

295/75R22.5	S	G	18
285/75R22.5	S	G	18
11R22.5	S	G	18
11R24.5	S	G	18

Long haul; long tread life; stone ejection system; visual alignment indicators.

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

ST 250

295/75R22.5	T	G	13
285/75R22.5	T	G	13
11R22.5	T	G	13
11R24.5	T	G	13

Long haul and regional; stone ejection system; long original miles; visual alignment indicators.

ST 250 LP

255/70R22.5	T	H	16
-------------	---	---	----

Long haul and regional; stone ejection system.

MS520

11R22.5	S/A	H	23
11R24.5	S/A	H	23

On/off highway service; stone ejection system; cut/chip-resistant compound.

GOODYEAR

G104 RST REGIONAL SERVICE TRAILER

255/70R22.5	T	H	13
275/70R22.5	T	H	14
11R17.5	T	H	14
10R15TR	T	G	14

G622 LT DRIVE

225/70R19.5	D	F	19
225/70R19.5	D	G	19
245/70R19.5	D	F	20
245/70R19.5	D	G	20

G124 TL TRACTION DRIVE

9R22.5	D	F	20
10R22.5	D	F	21
10R22.5	D	G	21
12R22.5	D	H	22

G933 STTL DRIVE

LT215/85R16	D	E	15
LT225/75R16	D	E	15
LT235/85R16	D	E	15
LT245/75R16	D	E	15

G149 RSA TL REGIONAL SERVICE

9.00R20	A	F	20
9R22.5	A	F	14.5
10.00R20	A	G	20
10R22.5	A	F	20
10R22.5	A	G	20
11.00R20	A	H	21
11R22.5	A	G	20
11R22.5	A	H	20
11R24.5	A	G	20
11R24.5	A	H	20
12R22.5	A	H	21
225/70R19.5	A	G	15
245/70R19.5	A	G	15

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

G159 5R STTL RIB

8.75R16.5	A	E	15
-----------	---	---	----

G159 TL RIB

265/75R22.5	A	G	17
265/70R19.5	A	G	16
365/80R20	A	J	20
11R20	A	H	20

G164 RTD TL REGIONAL TRACTION DRIVE

295/75R22.5	D	G	24
285/75R24.5	D	G	24

G164 RTD REGIONAL TRACTION DRIVE

11R22.5	D	G	24
11R22.5	D	H	24
10.00R20	D	G	24
11R24.5	D	G/H	24
255/70R22.5	D	H	22

G169 RSA REGIONAL SERVICE

255/70R22.5	A	H	18
275/70R22.5	A	H	18
295/75R22.5	A	G	20
285/75R24.5	A	G	20

G171 TL SEVERE SERVICE DRIVE

LT215/85R16	D	E	17
LT235/85R16	D	E	18
8R19.5	D	F	18

G177 TL DEEP LUG OFF ROAD

11R22.5	D	H	32
12R22.5	D	H	33
11R24.5	D	H	32
12R24.5	D	H	33

G177 TT DEEP LUG OFF ROAD

10.00R20	D	H	32
11.00R20	D	H	33
11.00R22	D	H	33
12.00R24	D	J	40

G177 DEEP LUG OFF ROAD WITH DURASEAL

11R22.5	A	H	25
11R24.5	A	H	25
12R22.5	A	H	25
12R24.5	A	H	25

G178 SS TL TRACTION SUPER SINGLE

385/65R22.5	D	J	28
425/65R22.5	D	L	29
445/65R22.5	D	L	30

G182 RSD REGIONAL SERVICE DRIVE

285/75R24.5	D	G	28
11R22.5	D	G	28
11R22.5	D	H	28
11R24.5	D	G	28

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

11R24.5	D	H	28
---------	---	---	----

G244 MSD TL ON/OFF ROAD DRIVE RADIAL

11R22.5	D	H	28
12R22.5	D	H	29
11R24.5	D	H	28

G286A TL SUPER SINGLE

385/65R22.5	A	J	20
425/65R22.5	A	L	20
445/65R22.5	A	L	20

G287 MSA MIXED SERVICE ON ROAD

10.00R20	A	H	22
11.00R20	A	H	22
11.00R22	A	H	22
11R22.5	A	H	22
11R24.5	A	H	22
12R22.5	A	H	22
12R24.5	A	H	22
315/80R22.5	A	H	23

G287 MSA MIXED SERVICE ON ROAD WITH DURASEAL

11R22.5	A	H	22
11R24.5	A	H	22
12R22.5	A	H	22
12R24.5	A	H	22
315/80R22.5	A	L	23

G287 MSA HSS WITH DURASEAL

315/80R22.5	A	L	23
-------------	---	---	----

G288 MSA MIXED SERVICE OFF ROAD

10.00R20	A	H	25
11.00R20	A	H	25
11.00R22	A	H	25
11R22.5	A	H	25
11R24.5	A	H	25
12R22.5	A	H	25
12R24.5	A	H	25
12.00R24.5	A	J	25

G288 MSA MIXED SERVICE WITH DURASEAL

11R22.5	A	H	25
11R24.5	A	H	25
12R22.5	A	H	25
12R24.5	A	H	25

G291 LP TL RIB

315/80R22.5	A	J	18
315/80R22.5	A	L	18

G305 LHD LINE HAUL DRIVE WITH FUEL MAX

11R22.5	D	G	26
295/75R22.5	D	G	26
285/75R24.5	D	G	26

SIZE POSITION(S)
PLY/LOAD TREAD/32-IN.

G314 TL PREMIUM LINE HAUL TRAILER

11R22.5	T	G	12
11R24.5	T	G	12
295/75R22.5	T	G	12
285/75R24.5	T	G	12

G316 LHT LINE HAUL TRAILER WITH FUEL MAX

11R22.5	T	G	12
295/75R22.5	T	G	12
285/75R24.5	T	G	12

G328 TL SINGLE-AXLE LINE HAUL DRIVE

285/75R24.5	D	G	28
-------------	---	---	----

G338 1 AD SINGLE-AXLE LINE HAUL DRIVE

295/75R22.5	D	G	30
11R22.5	D	G	30
11R24.5	D	G	30

G362 TL LINE HAUL DRIVE

11R22.5	D	G	28
11R24.5	D	G	28
295/75R22.5	D	G	28
285/75R24.5	D	G	28

G372 LHD TL PREMIUM LINE HAUL DRIVE

11R22.5	D	G	30
11R24.5	D	G	30
295/75R22.5	D	G	30
285/75R24.5	D	G	30

G386 TT ON/OFF ROAD

12.00R20	A	J	22
12R22.5	A	J	22

G395 LHS TL PREMIUM LINE HAUL STEER

11R22.5	A	G	18
11R22.5	A	H	18
11R24.5	A	G	18
11R24.5	A	H	18
295/75R22.5	A	G	18
295/75R22.5	A	H	18
285/75R24.5	A	G	18

G395 LHS PREMIUM LINE HAUL STEER WITH FUEL MAX

11R22.5	A	G	18
295/75R22.5	A	G	18
285/75R24.5	A	G	18

G614 RST TL REGIONAL SERVICE TRAILER

LT235/85R16	T	G	12
-------------	---	---	----

G633 RSD REGIONAL SERVICE DRIVE

8R19.5	D	F	16.5
--------	---	---	------

G647 RSA REGIONAL AND SEVERE SERVICE

LT215/85R16	A	E	14
-------------	---	---	----

SIZE POSITION(S)
PLY/LOAD TREAD/32-IN.

LT225/75R16	A	E	14
LT235/85R16	A	E	15
LT245/75R16	A	E	15
8R19.5	A	F	13
245/70R19.5	A	F	16
245/70R19.5	A	G	16
225/70R19.5	A	F	16

G670 RV

255/70R22.5	A	H	15
275/70R22.5	A	H	15
245/75R22.5	A	G	15
265/75R22.5	A	G	15
275/80R22.5	A	H	18
295/80R22.5	A	H	16
315/80R22.5	A	L	16
225/80R22.5	A	F	13
245/70R19.5	A	G	13
245/70R19.5	A	F	13

MARATHON LHS LINE HAUL STEER

295/80R22.5	A/S	H	18
-------------	-----	---	----

REGIONAL RHS RIB

285/70R19.5	A	H	17
-------------	---	---	----

RHD REGIONAL SERVICE DRIVE

315/80R22.5	A/D	J	27
215/75R17.5	D	F	18
11R22.5	D	H	27
12R22.5	D	J	26

RHS REGIONAL STEER

215/75R17.5	S	F	17
285/70R19.5	S	H	17
315/80R22.5	S	J	21

HANKOOK

TH10

215/75R17.5	T	16	16
235/75R17.5	T	16	15
245/70R17.5	T	16	15

Low trailer platform tire.

AL07

11R22.5	S/A	14	18
11R24.5	S/A	14	18
295/75R22.5	S/A	14	18
285/75R24.5	S/A	14	18

Premium line haul steer; enhanced casing lowers cost per mile.

AH11

8R19.5	A/S	12	16
11R22.5	A/S	16	20
12R22.5	A/S	16	20
11R24.5	A/S	16	20
9.00R20	A/S	14	17

SIZE POSITION(S)
PLY/LOAD TREAD/32-IN.

10.00R20	A/S	16	20
11.00R20	A/S	16	20
215/75R17.5	A/S	12	16
235/75R17.5	A/S	14	17
225/70R19.5	A/S	12	16
245/70R19.5	A/S	14	17
265/70R19.5	A/S	14	17
315/80R22.5	A/S	20	21

AH12

255/70R22.5	S/A	16	17
275/70R22.5	S/A	16	19
10R22.5	S/A	14	16
11R22.5	S/A	14	19
11R22.5	S/A	16	19
12R22.5	S/A	16	19
11R24.5	S/A	14	18
11R24.5	S/A	16	18
295/75R22.5	S/A	14	18
285/75R22.5	S/A	14	18
315/80R22.5	S/A	20	19

Medium-haul tires suited for regional and P&D applications.

F26

255/70R22.5	S/T/A	16	17
-------------	-------	----	----

Designed to prevent uneven wear.

DLO1

11R22.5	D	14	30
11R22.5	D	16	30
11R24.5	D	14	30
11R24.5	D	16	30
285/75R24.5	D	14	30
295/75R22.5	D	14	30

Premium long haul, closed shoulder tire.

Z59/Z59W

10.00R20	D	14	28
11.00R20	D	16	28
11R22.5	D	14	28
11R22.5	D	16	28
12R22.5	D	16	28
11R24.5	D	14	27
11R24.5	D	16	27
285/75R24.5	D	14	27
295/75R22.5	D	14	27

Deep traction, closed shoulder tire.

Z35A

11R22.5	D	14	26
11R22.5	D	16	26
12R22.5	D	16	26
11R24.5	D	14	26
11R24.5	D	16	26
295/75R22.5	D	14	26
285/75R24.5	D	14	26

Deep traction, open shoulder tire.

Tires

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

DH01

225/70R19.5	D	12	19
245/70R19.5	D	14	20
265/70R19.5	D	14	20
10R22.5	D	14	23

Long-haul, regional and P&D service.

F80

11R22.5	T	14	13
11R24.5	T	14	13
295/75R22.5	T	14	13
285/75R24.5	T	14	13

For free-rolling trailer position.

TLO1

11R22.5	T	14	12
11R24.5	T	14	12
295/75R22.5	T	14	12
285/75R24.5	T	14	12

AM02

385/65R22.5	A	18	21
425/65R22.5	A	20	21
445/65R22.5	A	20	23

New wide-base with chip/cut resistant compound

AM06

10.00R20	A	16	23
12.00R20	A	18	23
11R22.5	A	16	23
12R22.5	A	16	23
12.00R24	A	18	21
11R24.5	A	16	23
315/80R22.5	A	20	23

On/off-road; chip/cut resistant compound.

AM08

255/70RR22.5	A	16	16
--------------	---	----	----

AM10

385/65R22.5	A	18	21
425/65R22.5	A	20	21

All-wide base rib.

DM04

10.00R20	D	16	31
11R22.5	D	16	31
11R24.5	D	16	30

Off-road deep lug tire.

KELLY

KDA PREMIUM LINE HAUL DRIVE

11R22.5	D	G	28
11R24.5	D	G	28
295/75R22.5	D	G	28
285/75R24.5	D	G	28

KDM I OPEN SHOULDER DRIVE

11R22.5	D	G	26
---------	---	---	----

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

11R24.5	D	G	26
295/75R22.5	D	G	26
285/75R24.5	D	G	26

KLHA PREMIUM LINE HAUL STEER

11R22.5	A/S	G	18
11R24.5	A/S	G	18
295/75R22.5	A/S	G	18
285/75R24.5	A/S	G	18

KRM ON/OFF ROAD

12R22.5	A	H	21
---------	---	---	----

KRM I SUPER SINGLE

315/80R22.5	A	L	22
385/65R22.5	A	J	19
425/65R22.5	A	L	20

KRP RIB

225/70R19.5	A	F	16
-------------	---	---	----

KSE RIB

11R22.5	A	G	16
11R24.5	A	G	16
295/75R22.5	A	G	16
285/75R24.5	A	G	16

KSR I RIB

215/75R17.5	A	H	15
245/70R19.5	A	F	16
255/70R22.5	A	H	18

KTSA PREMIUM LINE HAUL TRAILER

11R22.5	T	G	13
11R24.5	T	G	13
255/70R22.5	T	H	13
295/75R22.5	T	G	13
285/75R24.5	T	G	13

MICHELIN

X ONE XDA

445/50R22.5	D	L	24
-------------	---	---	----

Single tire replacing duals; optimized for fuel efficiency and weight savings in long-haul.

X ONE XDA-HT PLUS

445/50R22.5	D	L	28
455/55R22.5	D	L	28

Single tire replacing duals; optimized for weight savings and all-weather traction in long-haul and regional.

X ONE XTA

445/50R22.5	T	L	13
-------------	---	---	----

Single tire replacing duals; optimized for fuel efficiency and weight savings in long-haul.

X ONE XTE

445/50R22.5	T	L	16
-------------	---	---	----

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

455/55R22.5	T	L	16
-------------	---	---	----

Single tire replacing duals; optimized for fuel efficiency and weight savings in highway and regional.

X ONE XZU S

455/55R22.5	A	M	23
-------------	---	---	----

Single tire replacing duals; optimized for fuel efficiency and weight savings in urban and regional.

XZA-1+

11R22.5	A	G	18
275/80R22.5	A	G	18
11R24.5	A	G	18
275/80R24.5	A	G	18

Optimized for steer axles in highway and limited regional service.

XZA2 ENERGY

275/70R22.5	A	J	18
295/60R22.5	A	J	16
295/80R22.5	A	H	16
315/80R22.5	A	L	17

Fuel-efficient radial designed for long mileage life in highway steer service.

XZA3

11R22.5	A	G	19
11R22.5	A	H	19
275/80R22.5	A	G	19
275/80R22.5	A	H	19
11R24.5	A	G	19
275/80R24.5	A	G	19

Premium, ultra-fuel-efficient tire delivering long original tread life in long-haul steer service.

XZE

11R22.5	A	G	22
275/80R22.5	A	G	22
275/80R22.5	A	H	22
11R24.5	A	G	22
275/80R24.5	A	G	22
12R22.5	A	H	22

Extra-wide, extra-deep tread for best wear in high-scrub applications.

XZE2

11R22.5	A	G	22
275/80R22.5	A	G	22
275/80R22.5	A	H	22
11R24.5	A	G	22
275/80R24.5	A	G	22

Fuel-efficient tire designed for long mileage life in long-haul steer service.

XZE2+

265/70R19.5	A	G	17
285/70R19.5	A	H	18

SIZE	POSITION(S)		PLY/LOAD	TREAD/32-IN.
275/70R22.5	A	J		19
295/80R22.5	A	H		20
Optimized for steer axles in regional and limited highway service.				
XDA-HT				
11R22.5	D	G		30
275/80R22.5	D	G		30
11R24.5	D	G		30
11R24.5	D	H		30
275/80R24.5	D	G		30
High-mileage tire designed for high torque in 6x4 service.				
XDA ENERGY				
275/80R22.5	D	G		26
Most fuel-efficient, quietest standard tire.				
XDA2+ ENERGY				
295/60R22.5	D	J		23
Ground-breaking, fuel-efficient, ultra-low profile tire designed for long, even wear; good traction; quiet ride for long-haul 6x4s.				
XDA3				
11R22.5	D	G		26
275/80R22.5	D	G		26
11R24.5	D	G		26
275/80R24.5	D	G		26
Fuel-efficient, standard tire for long, even tread wear and a smooth quiet ride.				
XDA5				
11R22.5	D	G		30
275/80R22.5	D	G		30
11R24.5	D	G		30
11R24.5	D	H		30
275/80R24.5	D	G		30
New longest wearing long haul drive with regenerating tread for excellent late-life traction.				
XDE M/S				
11R22.5	D	G		26
275/80R22.5	D	G		26
11R24.5	D	G		26
12R22.5	D	H		28
Open shoulder tire designed for mileage and traction across a wide range of applications.				
XDE2+				
265/70R19.5	D	G		20
285/70R19.5	D	H		21
Open-shoulder tire designed for regional/highway service.				
XDN2				
11R22.5	D	G		27
11R22.5	D	H		27
12R22.5	D	H		27

SIZE	POSITION(S)		PLY/LOAD	TREAD/32-IN.
275/80R22.5	D	G		27
11R24.5	D	G		27
11R24.5	D	H		27
275/80R24.5	D	G		27
All-weather premium tire optimized for traction and mileage.				
XDN2 GRIP				
315/80R22.5	D	L		28
All-weather premium tire optimized for traction and mileage.				
XT-1				
11R22.5	T	G		12
275/80R22.5	T	G		12
11R24.5	T	G		12
275/80R24.5	T	G		12
Fuel-efficient, standard tire for long, even tread wear in long-haul service.				
XTA2 ENERGY				
235/75R17.5	T	J		13
245/70R17.5	T	J		13
265/70R19.5	T	J		15
Fuel-efficient, small diameter tire helps deliver long, even tread wear in high cube highway service.				
XTE2				
235/75R17.5	T	J		15
245/70R19.5	T	J		16
285/70R19.5	T	J		18
Wide-base tire delivers high mileage and a quiet ride in heavy front-axle regional service.				
TOYO				
M1430				
215/75R17.5	T	16H/1355		15
235/75R17.5	T	M143J		15
Low-profile radial designed for low-platform applications.				
M143				
215/75R17.5	S/D	14G		16
245/70R19.5	S/D	16H		16
265/70R19.5	S/D	14G		16
285/70R19.5	S/D	16H		17
Low profile radial for local applications.				
M-122				
11R22.5	A	14G		17
11R24.5	A	14G		17
295/75R22.5	A	14G		17
Durable radial designed for local delivery and regional applications.				
M-320				
11R22.5	S/D	16H		23
11R24.5	S/D	16H		23

SIZE	POSITION(S)		PLY/LOAD	TREAD/32-IN.
315/80R22.5	S/D	20L		23
385/65R22.5	S/D	18LRJ		23
425/65R22.5	S/D	20LRL		23
12R22.5	S/D	16H		23
On/off road radial tire; open cord construction maximizes rubber/steel bonding.				
M147				
295/75R22.5	S/A	14G		19
285/75R24.5	S/A	14G		19
11R22.5	S/A	14G		19
11R22.5	S/A	16H		19
11R24.5	S/A	14G		19
11R24.5	S/A	16G		19
Steer radial; enhanced traction; excellent retreadability; four steel belts.				
M-124 Z				
295/75R22.5	A/D	14G		19
285/75R24.5	A/D	14G		19
11R22.5	A/D	14G		19
11R22.5	A/D	16H		19
11R24.5	A/D	14G		19
11R24.5	A/D	16H		19
265/75R22.5	A/D	14G		19
245/75R22.5	A/D	14G		19
Long-life radial; designed for high performance in local or regional applications; four steel belts.				
M-627				
295/75R22.5	D	14G		28
85/75R24.5	D	14G		28
11R22.5	D	14G		28
11R22.5	D	16H		28
11R24.5	D	14G		28
11R24.5	D	16H		28
Tough for regional and long haul applications.				
M-127				
295/75R22.5	S/T	14G		13
285/75R22.5	S/T	14G		13
11R22.5	S/T	14G		13
11R24.5	S/T	14G		13
Free-rolling tire designed for non-drive positions.				
M-109				
225/70R19.5	S/D	12F		16
225/70R19.5	S/D	14G		16
All-wheel position regional tire for local pickup and delivery vehicles.				
M608				
225/70R19.5	D	12F		20
225/70R19.5	D	14G		20
245/70R19.5	D	14G		19
215/75R17.5	D	12F		19
215/75R17.5	D	14G		19
9R22.5	D	14G		20
Designed for local and regional applications.				

Tires

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

M610

295/75R22.5	D	14G	28
11R22.5	D	14G	28
11R22.5	D	16H	28
285/75R24.5	D	14G	28
11R24.5	D	14G	28
11R24.5	D	16H	28

Deep traction for regional and local applications.

M120

255/70R22.5	A	16H	17
11R22.5	A	16H	17
11R22.5	A	16H	17
10R22.5	A	14G	17
8R19.5	A	12F	15
9R22.5	A	12F	15

Steel radial designed for local and regional applications.

M140

275/70R22.5	S/A	16H	17
9.00R20	A	14G	16
8.25R20	A	14G	16
10.00R20	A	14G	18
10.00R20	A	16H	18

YOKOHAMA

RY 617

295/75R22.5	A	14G	18
11R22.5	A	14G	18
285/75R24.5	A	14G	18
11R24.5	A	14G	18

Five-rib tread design for superior water channel dispersion and long tread life.

RY023

225/70R19.5	A	12F	16
245/70R19.5	A	14G	16
265/70R19.5	A	14G	17
285/70R19.5	A	16H	17
255/70R22.5	A	16H	18
295/75R22.5	A	14G	19
295/75R22.5	A	16H	19
11R22.5	A	14G	19
11R22.5	A	16H	19
285/75R24.5	A	14G	19
11R24.5	A	14G	19
11R24.5	A	16H	19
12R22.5	A	16H	20

Sidewall abrasion guard reduces curb damage; five-rib tread design for excellent lateral stability, water dispersion and improved traction.

Y785R

9R17.5 HC	A	16H	15
10R17.5 HC	A	16H	17
11R17.5 HC	A	16H	18
9R22.5	A	12F	15
10R22.5	A	12F	16

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

10R22.5	A	14G	16
7.50R15 FRT	A	16H	14
8.25R15 TR	A	14G	15
8.2515 TR	A	18J	15
10.00R15 TR	A	14G	18
10.00R15 TR	A	18J	18
13/80R20	A	18J	19
1480R20	A	18J	19
8.25R20	A	12F	15
9.00R20	A	12F	16
10.00R20	A	14G	16

RY587

295/75R22.5	T	14G	13
11R22.5	T	14G	13
285/75R24.5	T	14G	13
11R24.5	T	14G	13

Ultra-long mileage; stress control design with four grooves for even wear; stone ejector ribs.

RY103

245/75R22.5	A	14G	17
265/75R22.5	A	14G	17
275/70R22.5	A	16H	17

Straight five-rib tread design with four grooves inhibits stone retention, promotes even wear.

703ZL

295/75R22.5	D	14G	32
11R22.5	D	14G	32
285/75R24.5	D	14G	32
11R24.5	D	14G	32

TY577

295/75R22.5	D	14G	30
11R22.5	D	14G	30
285/75R24.5	D	14G	30
11R24.5	D	14G	30

Ultra-deep drive axle for on-highway operations.

TY517

295/75R22.5	D	14G	28
295/75R22.5	D	16H	28
11R22.5	D	14G	28
11R22.5	D	16H	28
285/75R24.5	D	14G	28
11R24.5	D	14G	28
11R24.5	D	16H	28

Deep, rib-block tread delivers long wear and traction-grabbing power; mud and snow rated.

SY190

11R22.5	D	16H	25
12R22.5	D	16H	26
11R24.5	D	16H	25

713B

10.00R20	D	14G	22
9R22.5	D	12F	20

SIZE POSITION(S) PLY/LOAD TREAD/32-IN.

10R22.5	D	12F	21
10R22.5	D	14G	21

LY053

11R22.5	D	16H	31
11R24.5	D	16H	31

Aggressive lug design provides excellent traction and braking on rough roads with mud or gravel.

MJ01W

315/80R22.5	A	22M	23
-------------	---	-----	----

Ideal for waste collection vehicles; sturdy wide tread construction and thick undertread protect against cutting and chipping.

MY507

255/70R22.5	A	16H	20
275/70R22.5	A	16H	22
11R22.5	A	16H	26
11R24.5	A	16H	26

Ideal for on/off-highway logging, cement and construction operations.

Y773

11R22.5	A	16H	19
12R22.5	A	16H	20
11R24.5	A	16H	19
315/80R22.5	A	22M	21
12R24	A	18J	20

Steel cord top belt protects against rust, stone penetration and heat.

RY253

385/65R22.5	A	18J	19
425/65R22.5	A	20L	19
445/65R22.5	A	20L	20

Heat-resistant tread compounds produce a cool-running tire; six-rib tread design provides superior traction on wet roads.

MY507A

385/65R22.5	A	18J	23
425/65R22.5	A	20L	23
445/65R22.5	A	20L	24

High-strength belt construction for added durability in off-highway operations.

TY303

295/75R22.5	D	14G	28
11R22.5	D	14G	28
285/75R24.5	D	14G	28
11R24.5	D	14G	28
225/70R19.5	D	12F	20
265/70R19.5	D	14G	21
285/70R19.5	D	16H	21
255/70R22.5	D	16H	24

TY287

225/70R19.5	A	12F	20
-------------	---	-----	----